IMPACT ACOUSTIC®



BUBBLES

Hanging Division



BUBBLES 24MM

Hanging Division

The harmonious distribution of the round perforations of the acoustic room divider is based on the Delaunay triangulation. This principle can be found everywhere in nature and has a calming and visually soothing effect.

ARTICLE NUMBER


741.24.13.000.00


DIMENSIONS

Lenght: 1800 mm 70.86" Width: 2400 mm 94.48" Thickness: 24 mm 0.94"



BUBBLES is hanged on to the ceiling from two predetermined points on the acoustic panel with two sets of retaining brackets and tensile cable fixing.







BUBBLES 24MM

Hanging Division

The harmonious distribution of the round perforations of the acoustic room divider is based on the Delaunay triangulation. This principle can be found everywhere in nature and has a calming and visually soothing effect.

ARTICLE NUMBER

741.24.14.000.00

DIMENSIONS


 Lenght:
 895 mm
 35.23"


 Width:
 2400 mm
 94.48"

 Thickness:
 24 mm
 0.94"

CONNECTION

BUBBLES is hanged on to the ceiling from two predetermined points on the acoustic panel with two sets of retaining brackets and tensile cable fixing.









BUBBLES 12MM

Hanging Division

The harmonious distribution of the round perforations of the acoustic room divider is based on the Delaunay triangulation. This principle can be found everywhere in nature and has a calming and visually soothing effect.

ARTICLE NUMBER


741.12.13.000.00


DIMENSIONS

Lenght: 1200 mm 47.24" Width: 2800 mm 110.23" Thickness: 12 mm 0.47"

CONNECTION

BUBBLES is hanged on to the ceiling from two predetermined points on the acoustic panel with two sets of retaining brackets and tensile cable fixing.







ARCHISONIC_® Colours

Quiet Neutrals

12mm & 24 mm

These shades work in harmony with natural textural materials and soften industrial environments. From light to dark and cool to warm, these are the foundations of any scheme where longevity and a mood of calm is desired.



Warm Naturals

12mm & 24 mm

Combinations of lighter toned neutrals and pinks have a gently soothing and restorative effect while the more saturated hues make perfect environments for relaxation.




ARCHISONIC_® Colours

Living Greens

12mm & 24 mm


From the cool greens of forests to the yellowed aspect of young wheat, we see Living Greens breathing life into indoor spaces, and an essential palette for the future. Use in tonal layers brings the depth and diversity of green, while a single note can provide an amplifying backdrop to a biophilic space.



Elemental Blues

12mm & 24 mm

These blues work perfectly both as familiar single hues and in effortless tonal layers to create an immersive environment for focus or restoration.






ARCHISONIC_® Colours

Soothing Pastels

12mm & 24 mm

With tonal duos of pink and blue and green, this perfectly balanced group is designed for peaceful plays on light and shade and playful contrast. While the lightest tones have a dreamlike quality, their deeper counterparts add a subtle grounding.




ARCHISONIC_® Colours

Energetic Brights

12mm & 24 mm

There are no rules here with endless possibilities for clashing contrasts or surprising highlights. For a sophisticated use of energetic colour, take a single hue and colour match contrasting textiles and solid surfaces.



Elegant Darks

12mm & 24 mm

While colour can create a mood, it is the depth or lightness of a hue that truly defines the emotion.
While each hue has the strength to stand alone, beautiful effects can be achieved with harmonized pairs.



Primary Play

12mm & 24 mm

The primary story happens when all three main colours are used together, with varied proportions creating differing moods. As with the Energetic Brights palette, combine with coordinating-coloured textiles and solid surfaces.





COMPOSITION

100% PET (min. 60% post-consumer)

FIRE TEST

DIN EN 13501-1 B-s1, d0 ASTM E-84 Class A

VOC EMISSION

CDPH 01350 Pass

ISO 16000 (CDPH/EHLB/Standard Method V1.2.)

EN 16516

COLOUR FASTENESS

EN ISO 105-B02, A1 Grade 6


SOUND ABSORPTION

DIN ISO 11654

24 mm aw 0.55 (no airgap)

aw 0.65 (50 mm / 2" air gap) aw 0.90 (100 mm / 4" air gap) aw 0.95 (200 mm / 8" air gap) aw 0.95 (300 mm / 11" air gap).

12 mm aw 0.30 (no air gap)



MATERIAL REUTILISATION

ARCHISONIC® 24 mm 88 plastic bottles/m² ARCHISONIC® 12 mm 53 plastic bottles/m²

ENVIRONMENTAL

Cradle to Cradle Certified™ Product qualifies for LEED v4 specifications on VOC emissions in LEED EQ credit (Low-emitting products)

SUPPORTED BY

Climate KIC











