

IMPACT ACOUSTIC®

MOTUS Floor Standing Division



MOTUS Floor Standing Division

MOTUS is a highly mobile acoustic partition. It offers a flexibility of options that allows spaces to adapt according to use. Ideal for agile working or educational environment like open-plan offices and classrooms.

ARTICLE NUMBER


744.24.10.000.00

DIMENSIONS


Lenght:	1600 mm	62.99″
Width:	1800 mm	70.86"
Thickness:	24 mm	0.94"

CONNECTION

Simply slide the acoustic panel into the mobile foot stand. Make sure that is fully inserted to ensure stability.







MOTUS Floor Standing Division

MOTUS is a highly mobile acoustic partition. It offers a flexibility of options that allows spaces to adapt according to use. Ideal for agile working or educational environment like open-plan offices and classrooms.

ARTICLE NUMBER


744.24.11.000.00


DIMENSIONS

Lenght:	1800 mm	70.86"
Width:	1800 mm	70.86"
Thickness:	24 mm	0.94"

CONNECTION

Simply slide the acoustic panel into the mobile foot stand. Make sure that is fully inserted to ensure stability.









ARCHISONIC® Colours

Quiet Neutrals

12mm & 24 mm

These shades work in harmony with natural textural materials and soften industrial environments. From light to dark and cool to warm, these are the foundations of any scheme where longevity and a mood of calm is desired.

Warm Naturals

Combinations of lighter toned

neutrals and pinks have a gently

soothing and restorative effect

while the more saturated hues

make perfect environments for

12mm & 24 mm

relaxation.



ARCHISONIC® Colours

Living Greens 12mm & 24 mm

From the cool greens of forests to the yellowed aspect of young wheat, we see Living Greens breathing life into indoor spaces, and an essential palette for the future. Use in tonal layers brings the depth and diversity of green, while a single note can provide an amplifying backdrop to a biophilic space.



Spearmint 706



Nordic Pine 311

Elemental Blues 12mm & 24 mm

These blues work perfectly both as familiar single hues and in effortless tonal layers to create an immersive environment for focus or resto-

ration.





Pacific Ocean 432

IMPACT ACOUSTIC[®] Bodenhof 4, 6014 Luzern (Switzerland)













439





H A B I T A T M A T T E R


habitatmatter.com spec@habitatmatter.com

ARCHISONIC® Colours

Soothing Pastels

12mm & 24 mm

With tonal duos of pink and blue and green, this perfectly balanced group is designed for peaceful plays on light and shade and playful contrast. While the lightest tones have a dreamlike quality, their deeper counterparts add a subtle grounding.



ARCHISONIC® Colours

Energetic Brights 12mm & 24 mm

There are no rules here with endless possibilities for clashing contrasts or surprising highlights. For a sophisti-cated use of energetic colour, take a single hue and colour match contrasting textiles and solid surfaces.



Pacific Ocean 432



Electric Orange 464

Elegant Darks

12mm & 24 mm

While colour can create a mood, it is the depth or lightness of a hue that truly defines the emotion. While each hue has the strength to stand alone, beautiful effects can be achieved with harmonized pairs.



311



810



550



The primary story happens when all three main colours are used together, with varied proportions creating differing moods. As with the Energetic Brights palette, combine with coordinating-coloured textiles and solid surfaces.



Snow White 500



Poster Red 662









140

Charcoal 542



864



846



HABITAT MATTER habitatmatter.com spec@habitatmatter.com

DIMENSIONS

ARCHISONIC[®] 24 mm ARCHISONIC[®] 12 mm 1800 x 2400 x 24 mm (70" x 94" x 0.94") 1200 x 2800 x 12 mm (47" x 10" x 0.47")



M A T T E R habitatmatter.com spec@habitatmatter.com

HABITAT

COMPOSITION

100% PET (min. 60% post-consumer)

FIRE TEST

DIN EN 13501-1 B-s1, d0 ASTM E-84 Class A

VOC EMISSION

CDPH 01350 Pass ISO 16000 (CDPH/EHLB/Standard Method V1.2.) EN 16516


COLOUR FASTENESS

EN ISO 105-B02, A1 Grade 6

SOUND ABSORPTION

DIN ISO 11654 24 mm aw 0.55 (no airgap) aw 0.65 (50 mm / 2" air gap) aw 0.90 (100 mm / 4" air gap) aw 0.95 (200 mm / 8" air gap) aw 0.95 (300 mm / 11" air gap).

12 mm aw 0.30 (no air gap)



MATERIAL REUTILISATION

ARCHISONIC[®] 24 mm ARCHISONIC[®] 12 mm 88 plastic bottles/m² 53 plastic bottles/m²

ENVIRONMENTAL

Cradle to Cradle Certified™ Product qualifies for LEED v4 specifications on VOC emissions in LEED EQ credit (Low-emitting products)

SUPPORTED BY

Climate KIC

