Certificate Number UL-US-2155668-0 Report Reference E479544-20211207

> **Date** 9-Dec-2021

PROLICHT GMBH Issued to:

Gewerbepark 9 Neu-Goetzens

Austria 6091

This is to certify that representative samples of

IFAM - Light-emitting-diode Surface-mounted Luminaires

See Addendum Page for Product Designation(s).

Have been investigated by UL in accordance with the

Standard(s) indicated on this Certificate.

UL 1598, 5th Ed., Issue Date: 2021-03-26, Revision Date: Standard(s) for Safety:

2021-06-18

Additional Information: See the UL Online Certifications Directory at

https://ig.ulprospector.com for additional information

This Certificate of Compliance does not provide authorization to apply the UL Mark. Only the UL Follow-Up Services Procedure provides authorization to apply the UL Mark.

Only those products bearing the UL Mark should be considered as being UL Certified and covered under UL's Follow-Up Services.

Look for the UL Certification Mark on the product.







Certificate Number UL-US-2155668-0 Report Reference E479544-20211207

Date 9-Dec-2021

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements

Model	Category Description
410-8172-UL	LED Surface Mounted Luminaire
410-8212-UL	LED Surface Mounted Luminaire
901-6809-UL	LED Surface Mounted Luminaire
901-6815-UL	LED Surface Mounted Luminaire
901-6821-UL	LED Surface Mounted Luminaire
901-6827-UL	LED Surface Mounted Luminaire
901-6839-UL	LED Surface Mounted Luminaire
901-6845-UL	LED Surface Mounted Luminaire
901-6857-UL	LED Surface Mounted Luminaire
901-6863-UL	LED Surface Mounted Luminaire
901-6869-UL	LED Surface Mounted Luminaire
901-6875-UL	LED Surface Mounted Luminaire
SIGN DIVA XXX Y or 0001ABCDEFG, Where:	LED Surface Mounted Luminaire
A: version, alphabetic character A	
B: size, alphabetic character A (200 or 250)or B (250 or 370)	
C: mounting type, alphabetic character A (Surface) or B (Suspended)	
D: control type, alphabetic character A (On/Off) or B (0-10V)	
E: lighting type, alphabetic character A (direct) or B (direct/indirect)	
F: additional feature, alphabetic character A (Standard) or B (Acoustic panel)	
G: certification, alphabetic character A (UL)	
Or	
XXX: Is the size, up to 400	
Y: can be blank or any combination of the following optional information: "DIR" or "DIR/IND" or "direct" or "direct/indirect" or "direct' or "AB" or "HL" or "SUR" or "SUS"	
SMOOTHY XXX Y or 0020ABCDEFG, Where:	LED Surface Mounted Luminaire
A: version, alphabetic character A	





Certificate Number UL-US-2155668-0 Report Reference E479544-20211207

Date 9-Dec-2021

B: size, alphabetic character A (200 or 250)or B (250 or 370)

C: mounting type, alphabetic character A (Surface) or B (Suspended)

D: control type, alphabetic character A (On/Off) or B (0-10V)

E: lighting type, alphabetic character A (direct) or B (direct/indirect)

F: additional feature, alphabetic character A (Standard) or B (Acoustic panel)

G: certification, alphabetic character A (UL)

Or

XXX: Is the size, up to 400

Y: can be blank or any combination of the following optional information:

"DIR" or "DIR/IND" or "direct" or "direct/indirect" or "direct/indirect" or "AB" or "HL" or "SUR" or "SUS"





Certificate Number UL-CA-2146840-0 Report Reference E479544-20211207

> **Date** 9-Dec-2021

PROLICHT GMBH Issued to:

Gewerbepark 9 Neu-Goetzens

Austria 6091

This is to certify that representative samples of

IFAM7 - Light-emitting-diode Surface-mounted Luminaires

Certified for Canada

See Addendum Page for Product Designation(s).

Have been investigated by UL in accordance with the

Standard(s) indicated on this Certificate.

CSA C22.2 NO. 250.0:21, 5th Ed., Issue Date: 2021-03-26, Standard(s) for Safety:

Revision Date: 2021-06-18

Additional Information: See the UL Online Certifications Directory at


https://ig.ulprospector.com for additional information

This Certificate of Compliance does not provide authorization to apply the UL Mark. Only the UL Follow-Up Services Procedure provides authorization to apply the UL Mark.

Only those products bearing the UL Mark should be considered as being UL Certified and covered under UL's Follow-Up Services.

Look for the UL Certification Mark on the product.







Certificate Number UL-CA-2146840-0 Report Reference E479544-20211207

Date 9-Dec-2021

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements

Model	Category Description
410-8172-UL	LED Surface Mounted Luminaire
410-8212-UL	LED Surface Mounted Luminaire
901-6809-UL	LED Surface Mounted Luminaire
901-6815-UL	LED Surface Mounted Luminaire
901-6821-UL	LED Surface Mounted Luminaire
901-6827-UL	LED Surface Mounted Luminaire
901-6839-UL	LED Surface Mounted Luminaire
901-6845-UL	LED Surface Mounted Luminaire
901-6857-UL	LED Surface Mounted Luminaire
901-6863-UL	LED Surface Mounted Luminaire
901-6869-UL	LED Surface Mounted Luminaire
901-6875-UL	LED Surface Mounted Luminaire
SIGN DIVA XXX Y or 0001ABCDEFG, Where:	LED Surface Mounted Luminaire
A: version, alphabetic character A B: size, alphabetic character A (200 or 250)or B (250 or 370) C: mounting type, alphabetic character A (Surface) or B (Suspended) D: control type, alphabetic character A (On/Off) or B (0-10V) E: lighting type, alphabetic character A (direct) or B (direct/indirect) F: additional feature, alphabetic character A (Standard) or B (Acoustic panel) G: certification, alphabetic character A (UL)	
XXX: Is the size, up to 400	
Y: can be blank or any combination of the following optional information: "DIR" or "DIR/IND" or "direct" or "direct/indirect" or "direct" or "AB" or "HL" or "SUR" or "SUS"	
SMOOTHY XXX Y or 0020ABCDEFG, Where:	LED Surface Mounted Luminaire
A: version, alphabetic character A	





Certificate Number UL-CA-2146840-0 Report Reference E479544-20211207

Date 9-Dec-2021

B: size, alphabetic character A (200 or 250)or B (250 or 370)

C: mounting type, alphabetic character A (Surface) or B (Suspended)

D: control type, alphabetic character A (On/Off) or B (0-10V)

E: lighting type, alphabetic character A (direct) or B (direct/indirect)

F: additional feature, alphabetic character A (Standard) or B (Acoustic panel)

G: certification, alphabetic character A (UL)

Or

XXX: Is the size, up to 400

Y: can be blank or any combination of the following optional information:

"DIR" or "DIR/IND" or "direct" or "direct/indirect" or "direct/indirect" or "AB" or "HL" or "SUR" or "SUS"



