# PROLICHT / IMPACT ACOUSTIC®



### Art. Nr. see page 4

#### MOUNTING

Mounting location: Type:

#### ELECTRICAL

Voltage: Control gear needed: Control gear included:

#### DIMENSIONS

Diameter:

Height: Weight

**LIGHT** Light distribution:

#### LAMP DESCRIPTION

Lamp Product: Lamp Type: Total Power: Luminous Flux of Light Source: Usable luminous flux: Colour rendering index (CRI): Colour temperature (CCT): ceiling suspended

48V DC Yes Yes

400/600/800/1000/ 1200 mm 270/400/530/650/850 mm 3,7/5,7/8,4/14,3/23,5 kg


Direct

SIGN DIVA 200 LED 19 W 2340 lm 1580 lm 90 4000 K

#### **TECHNICAL DESCRIPTION**

In line with team's expectations to make workspaces feel like an extension of their homes, this acoustic lighting fixture achieves just that. The well-balanced geometric shapes contribute structure to a space and can easily be combined in different sizes to give the interior that little extra touch of cosy.

The ARCHISONIC® material, which was carefully developed and curated in collaboration with the London trend researchers Color Hive, is available in two thicknesses, 24 and 12 millimeters. The PET fibers from recycled water bottles make the material a sustainable and powerful source to meet your acoustic challenges.





H A B I T A T M A T T E R habitatmatter.com spec@habitatmatter.com

Wir behalten uns das Recht vor technische Änderungen ohne vorangehende Mitteilung durchführen zu können. PROLICHT GmbH | Österreich| 6091 Neu-Götzens | Gewerbepark 9 T +43 5234 33 499 | F +435234 33 499-22 | info@prolicht.at

# PROLICHT / IMPACT ACOUSTIC®

#### MATERIAL COMPOSITION

100% PET (min. 60% post-consumer)

#### FIRE TEST

DIN EN 13501-1 B-s1, d0 ASTM E-84 Class A

#### VOC-EMISSION

CDPH 01350 ISO 16000 EN 16516

#### Pass (CDPH/EHLB/Standard Methode V1.2.)

#### **COLOUR FASTNESS**

ISO 105-B02, A1 Grade 6

#### MATERIAL REUTILISATION

ARCHISONIC® 24 mm ARCHISONIC® 12 mm 88 plastic bottles/m2 53 plastic bottles/m2

#### SOUND ABSORPTION

DIN ISO 11654

24mm	aw 0.55 (no airgap)
	aw 0.65 (50 mm / 2" air gap)
	aw 0.90 (100 mm / 4" air gap)
	aw 0.95 (200 mm / 8" air gap)
12mm	aw 0.30 (no air gap)

#### ENVIRONMENTAL

Cradle to Cradle Certified™ Product qualifies for LEED v4 specifications on VOC emissions in LEED EQ credit (Low-emitting products)

#### MICROBIAL RESISTANCE

ASTM G21-15 Growth rating: 0 (no growth) ARCHISONIC® does not provide a breeding ground for mold and mildew.


SUPPORTED BY

Climate KIC



H A B I T A T M A T T E R habitatmatter.com spec@habitatmatter.com

Wir behalten uns das Recht vor technische Änderungen ohne vorangehende Mitteilung durchführen zu können. PROLICHT GmbH | Österreich| 6091 Neu-Götzens | Gewerbepark 9 T +43 5234 33 499 | F +435234 33 499-22 | info@prolicht.at



# **ARCHI**SONIC® Colours

### **Quiet Neutrals**

#### 12mm & 24 mm

These shades work in harmony with natural textural materials and soften industrial environments. From light to dark and cool to warm, these are the foundations of any scheme where longevity and a mood of calm is desired.

Warm Naturals

Combinations of lighter toned

neutrals and pinks have a gently

soothing and restorative effect

while the more saturated hues

make perfect environments for

12mm & 24 mm

relaxation.



## **ARCHI**SONIC® Colours

### **Living Greens** 12mm & 24 mm

From the cool greens of forests to the yellowed aspect of young wheat, we see Living Greens breathing life into indoor spaces, and an essential palette for the future. Use in tonal layers brings the depth and diversity of green, while a single note can provide an amplifying backdrop to a biophilic space.



Spearmint 706



Nordic Pine 311

### **Elemental Blues** 12mm & 24 mm

These blues work perfectly both as

familiar single hues and in effortless tonal layers to create an immersive environment for focus or restoration.



Pacific Ocean 432

### IMPACT ACOUSTIC<sup>®</sup> Bodenhof 4, 6014 Luzern (Switzerland)














439





HABITAT MATTER


habitatmatter.com spec@habitatmatter.com

# **ARCHI**SONIC® Colours

## **Soothing Pastels**

12mm & 24 mm

With tonal duos of pink and blue and green, this perfectly balanced group is designed for peaceful plays on light and shade and playful contrast. While the lightest tones have a dreamlike quality, their deeper counterparts add a subtle grounding.



## **ARCHI**SONIC® Colours

### **Energetic Brights** 12mm & 24 mm

There are no rules here with endless possibilities for clashing contrasts or surprising highlights. For a sophisti-cated use of energetic colour, take a single hue and colour match contrasting textiles and solid surfaces.



Pacific Ocean 432



Electric Orange 464

## **Elegant Darks**

12mm & 24 mm

While colour can create a mood, it is the depth or lightness of a hue that truly defines the emotion. While each hue has the strength to stand alone, beautiful effects can be achieved with harmonized pairs.



311



810



550



The primary story happens when all three main colours are used together, with varied proportions creating differing moods. As with the Energetic Brights palette, combine with coordinating-coloured textiles and solid surfaces.



Snow White 500



Poster Red 662









140

Charcoal 542



864



846



