## CERTIFICATE OF COMPLIANCE

Certificate Number UL-CA-L479544-31-22809102-1

**Report Reference** E479544-20190822

Date 25-Mar-2021

Issued to: PROLICHT GMBH

Gewerbepark 9 Neu-Goetzens

Austria 6091

This is to certify that representative samples of

IFAM7 - Light-emitting-diode Surface-mounted Luminaires

Certified for Canada

See Addendum Page for Product Designation(s).

Have been investigated by UL in accordance with the

Standard(s) indicated on this Certificate.

Standard(s) for Safety: CSA C22.2 NO. 250.0-18, 4th Ed., Issue Date: 2018-08-28

Additional Information: See the UL Online Certifications Directory at

https://iq.ulprospector.com for additional information

This Certificate of Compliance does not provide authorization to apply the UL Mark. Only the UL Follow-Up Services Procedure provides authorization to apply the UL Mark.

Only those products bearing the UL Mark should be considered as being UL Certified and covered under UL's Follow-Up Services.

Look for the UL Certification Mark on the product.





## CERTIFICATE OF COMPLIANCE


Certificate Number UL-CA-L479544-31-22809102-1

**Report Reference** E479544-20190822

Date 25-Mar-2021

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements

Model	Category Description
GLORIOUS, followed by:  AB or HL or SUR or SUS mounting situation  SS dimming feature (optional)  TTTTmm length or diameter / angle  UUmm wide (optional)  LED  VVW power (optional)  WWWW luminous color (optional)  CRIXX (optional)  YYYY additional description (optional)  -UL	LED Surface Mounted Luminaire
QUANTUM, followed by:  AB or HL or SUR or SUS mounting situation SS dimming feature (optional) TTTTmm length or diameter / angle UUmm wide (optional) LED VVW power (optional) WWWW luminous color (optional) CRIXX (optional) YYYY additional description (optional) -UL	LED Surface Mounted Luminaire
Super G, followed by:  AB or HL or SUR or SUS mounting situation SS dimming feature (optional) TTTTmm length or diameter / angle UUmm wide (optional) LED VVW power (optional) WWWW luminous color (optional) CRIXX (optional) YYYY additional description (optional) -UL	LED Surface Mounted Luminaire
VICTORY, followed by:  AB or HL or SUR or SUS mounting situation SS dimming feature (optional)  TTTTmm length or diameter / angle  UUmm wide (optional)  LED  VVW power (optional)	LED Surface Mounted Luminaire





## CERTIFICATE OF COMPLIANCE

Certificate Number UL-CA-L479544-31-22809102-1

**Report Reference** E479544-20190822

Date 25-Mar-2021

WWWW luminous color (optional)
CRIXX (optional)
YYYY additional description (optional)
-UL

Bambles

Bruce Mahrenholz, Director North American Certification Program

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at http://ul.com/aboutul/locations/

